Product Name: NUMOCAINE INJECTABLE PAIN RELIEF

APVMA Approval No: 87460/127482

RLP
APPROVED

| | |
|---|---|
| Label Name: | NUMOCAINE INJECTABLE PAIN RELIEF |

| | |
|---|---|
| Signal Headings: | CAUTION<br>KEEP OUT OF REACH OF CHILDREN<br>FOR ANIMAL TREATMENT ONLY |

| | |
|---|---|
| Constituent Statements: | 17.2 mg/mL LIGNOCAINE (present as 20 mg/mL Lignocaine hydrochloride) |

| | |
|---|---|
| Claims: | Local anaesthetic injection for use in sheep during tail docking and castration with rubber rings. |

| | |
|---|---|
| Net Contents: | 100 mL<br>8 x 100 mL |

| | |
|---|---|
| Directions for Use: | |

| | |
|---|---|
| Restraints: | DO NOT use for any other purpose other than the purpose approved in this label.<br>DO NOT tamper with or remove the QCC collar from the bottle. USE ONLY with the Numnuts device. |

| | |
|---|---|
| Contraindications: | |

| | |
|---|---|
| Precautions: | Safety studies have only been conducted up to two times the dose in 2-10 week old lambs. Use with caution to avoid overdosing. |

| | |
|---|---|
| Side Effects: | An epidural effect of Numocaine has been observed in a very small number of lambs when tail docked with the Numnuts system in the studies conducted. This is a rare outcome, with temporary hind-limb paralysis lasting less than 1 hour. If wobbly hind legs are seen after tail docking, place lamb in a large holding pen or in isolation so it will not be trampled by the mob. Return lamb to usual paddock once hind-limb movement is regained. |

| | |
|---|---|
| Dosage and Administration: | ONLY FOR USE WITH A NUMNUTS APPLICATOR<br><br>Each injection delivers 1.5mL.<br><br>Administer according to the directions provided with the NUMNUTS applicator device in conjunction with rubber ring application for tail docking or castration. Training may be required before using this product with the Numnuts applicator. Please contact your veterinarian, reseller or NUMNUTS.<br><br>Dose:<br>Lambs 2-10 weeks old – tail docking and castration – 1.5 mL (1 injection) per rubber ring application.<br><br>The injection must be administered under the skin (subcutaneously) at the dorsal mid line of the neck of the scrotum or dorsal midline of the tail with the Numnuts applicator as illustrated in the diagrams.<br><br><illustrations of the correct positioning for tail docking and castration in lambs> |

| | |
|---|---|
| General Directions: | Caution: avoid carcass damage<br><br>1. Sterilise all injection apparatus by boiling (or equivalent) before use. Avoid use of strong disinfectants on apparatus.<br>2. Maintain cleanliness at all times.<br>3. Keep needles sharp and clean. Replace frequently.<br>4. Use dedicated 'Numnuts' needles as supplied to ensure correct injection depth and operator safety.<br>5. As far as possible, avoid injection of animals during wet weather or under dusty conditions.<br>6. This product should be injected only under the skin.<br>7. This product is only to be injected using the Numnuts apparatus in the scrotal neck or tail of the animal.<br>8. Keep the fluid junction clean by flushing through with water at the end of each session the device is used.<br><br>Clinical trials have demonstrated that Numocaine reduced pain behaviours in lambs after tail docking and abnormal posture behaviours after castration for up to 3 hours. Use of other analgesics for long term pain management may be required. Consult your veterinarian. |

| | |
|---|---|
| Withholding Periods: | Meat: Zero (0) days<br>Milk: Zero (0) days |

| | |
|---|---|
| Trade Advice: | EXPORT SLAUGHTER INTERVAL (ESI): An ESI has not been established for this product. Note – observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from the manufacturer on (07) 3808 1399 before using this product. |

| | |
|---|---|
| Safety Directions: | |

| | |
|---|---|
| First Aid Instructions: | First aid is not generally required. If in doubt, contact a Poisons Information Centre (phone Australia 13 11 26) or a doctor. |

| | |
|---|---|
| First Aid Warnings: | |

| | |
|---|---|
| Additional User Safety: | |

| | |
|---|---|
| Environmental Statements: | |

| | |
|---|---|
| Disposal: | Dispose of container by wrapping with paper and putting in garbage. Discarded needles should immediately be placed in a designated and appropriately labelled ‘sharps’ container. |

| | |
|---|---|
| Storage: | Store below 30°C (room temperature). |